

Class 1

Building Product Information Sheet

Product Name	
Supreme Nera- Basin Mount Time Flow Lever Tap – Chrome	
Product Identifier	
STFL18	
Product Description and its intended use:	
<p>The Supreme Time-Flow tap is a water-efficient, self-closing basin-mounted lever tap designed for high-traffic accessible washrooms in commercial and/or public environments. It features a reliable, lever mechanism for ease of use and automatic shut-off to conserve water.</p> <p>Key Features:</p> <ul style="list-style-type: none"> • Material: Lead-free, durable brass composition for safety and longevity. • Operation: Lever mechanical activation with time-flow functionality for water-saving efficiency. • Design: Sleek, basin-mounted design suitable for modern commercial bathrooms. • Reliability: Engineered for consistent performance in demanding environments. <p>Intended Use:</p> <p>Supreme Time Flow taps are primarily used for hand washing in public washrooms, schools, healthcare facilities, and any setting where durability and water conservation are paramount.</p> <p>Please see Supreme Time Flow brochure for further technical information – www.splwashrooms.co.nz/wp-content/uploads/2024/10/1-Supreme-Timeflow-Tapware-Brochure.pdf</p>	
Place of manufacturer:	Manufacturer
Overseas – Italy	Manufactured for SPL (2021) Limited
Legal and trading name of importer:	
SPL (2021) Limited	SPL Washrooms
26 Gillies Street, Cambridge 3434	www.splwashrooms.co.nz
office@splwashrooms.co.nz	+6478235790
NZBN: 9429049512441	
Relevant building code clauses:	
B2 Durability - B2.3.2(c) F2 Hazardous Building Materials - F2.3.1 G1 Personal Hygiene – - G1.3.2(a), G1.3.4 G12 Water Supplies - - G12.3.2(c) - G12.3.7(c) - G12.3.10	
Statement on how the building product is expected to contribute to compliance:	

B2 Durability

- This basin mounted time flow tap is a fixture that can be easily inspected, accessed and maintained (without the removal of other building materials that have greater durability/life expectancy)

F2 Hazardous Building Materials

- This time flow tap has chrome plated brass construction that will not emit harmful concentrations of any substances that is exposed (Lead Free brass).

G1 Personal Hygiene

- This faucet is designed for sanitisation (hand washing) with cold or tempered water. They are suitable for accessible facilities for people with disabilities.

G12 Water supplies

- This product is constructed from materials that will not contaminate the water as per European Standards.
- This basin mounted time flow tap allows reasonable access to components that may require periodic maintenance and/or repair.

Limitations on the use of the building product:

- Destined for cold or premixed water (temperature can be regulated via thermostatic mixing valve – not included) - 5-70 degrees C
- Suitable for mains pressure (or pumped). Inlet pressure range 0.5 – 6 bar (50 -600 kPa)

Note:

- 500 kPa maximum working pressure at any outlet within a building is a requirement of NZBC G12/VM1- AS/NZS 3500.1 & AS/NZS 3500.4.
- Not suitable for low/unequal/gravity feed systems.
- Water used primarily for personal hygiene should not exceed 50°C

Design requirements that would support the use of the building product:

- Water efficient 4.0L /min 6 Star WELS rating IANZ tested
- Single temperature use (cold or premixed) which can be regulated via a thermostatic mixing valve - Lead Free thermostatic mixing valve available from SPL
- Isolating taps (angle valves) must be fitted to the water supplies (not supplied)
- Replacement parts readily available at SPL warehouse (NZ)
- Possible to comply with NZS4121/AS1428.1 (Design for Access and Mobility requirements)


Installation and Maintenance requirements:

All Supreme tapware must be used, installed and maintained in accordance with all information supplied by SPL Washrooms.

Please refer to 'Installation Manual' in the downloads section of the website

www.splwashrooms.co.nz/wp-content/uploads/2024/10/Supreme-Nera-Time-Flow-Installation.pdf

Is the building product/building product line subject to warning or ban under section 26? NO

Date: 15/12/2024	Signed: 	SPL
------------------	---	------------